



RAS DELTA™

THE NEW DIMENSION

INDEX

RAS 601 SR.....	01
RAS 602 SR.....	02
RAS 603 SR.....	03
RAS 604 SR.....	04
RAS 605 SR.....	05
RAS 606 SR.....	06
RAS 607 SR.....	07
RAS 608 SR.....	08
RAS 609 SR.....	09
RAS 610 SR.....	10
RAS 611 SR.....	12

RAS DELTA™

RAS - 601SR



SIZE : 2200 MM X 1550 MM X 880 MM

SEATING

Seating Capacity -	2 person
Lounge -	1 person

WEIGHT

Weight-Dry/Filled -	280KGS/1140 KGS
Water Capacity -	227US Gallon/860 liters

PUMPS

Jet Pump 1 -	2.0 HP
Circulation Pump -	0.53 HP
Air Blower -	1.0 HP

ELECTRICS

Control system -	smart-GaoErDa Control System
Max Power Consumption -	5800Watt/26.3A in 220V/50Hz
Heater -	3KW/220-240VAC
Underwater Lighting -	5" LED

JET CONFIGURATIONS

Jets total (pc) -	34
Massage Jets (pc) -	22
Air Jets (pc) -	12

FILTRATION

Filter -	Front Access filters
Effective Filtration Area -	100 sq. ft.
Ozone Generator -	50mg/h

FEATURES

Water Diverter (pc)-	1
Air Regulator (pc) -	2
Suctions (pc) -	2
Gate Valves(pc) -	4
Drain Valve (pc) -	1
Headrest pillows(pc) -	3
Support Frame -	#304 stainless steel
Overflow Outlet (pc) -	1
Inbuilt Radio & skirt speakers -	Yes
Wooden Skirt -	Yes



SIZE : 2450 MM X 2450 MM X 980 MM

SEATING

Seating Capacity - 6 person

WEIGHT

Weight-Dry/Filled - 445KGS/2005 KGS
 Water Capacity - 412US Gallon/1560 liters

PUMPS

Jet Pump 1 - 2.0 HP
 Jet Pump 2 - 2.0 HP
 Circulation Pump - 0.53 HP
 Air Blower - 1.0 HP

ELECTRICS

Control system - smart-GaoErDa Control System
 Max Power Consumption - 7250Watt32.9A in 220V50Hz
 Heater - 3KW/220-240VAC
 Underwater Lighting - 5" LED

JET CONFIGURATIONS

Jets total (pc) - 57
 Massage Jets (pc) - 32
 Air Jets (pc) - 25

FILTRATION

Filter - Built-in filters
 Effective Filtration Area - 100 sq. ft.
 Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 2
 Air Regulator (pc) - 4
 Suctions (pc) - 3
 Gate Valves(pc) - 6
 Drain Valve (pc) - 1
 Headrest pillows(pc) - 6
 Support Frame - #304 stainless steel
 Overflow Outlet (pc) - 1
 Inbuilt Radio & skirt speakers - Yes
 Wooden Skirt - Yes



SIZE : 2200 MM X 2200 MM X 950 MM

SEATING

Seating Capacity - 3 person
 Lounge - 2 person

WEIGHT

Weight-Dry/Filled - 495KGS/1845 KGS
 Water Capacity - 357US Gallon/1350 liters

PUMPS

Jet Pump 1 - 2.0 HP
 Jet Pump 2 - 2.0 hp
 Jet Pump 3 - 2.0 HP
 Circulation Pump - 0.53 HP
 Air Blower - 1.0 HP

ELECTRICS

Control system - smart-GaoErDa Control System
 Max Power Consumption - 8747Watt39.8A in 220V50Hz
 Heater - 3KW/220-240VAC
 Underwater Lighting - 5" LED

JET CONFIGURATIONS

Jets total (pc) - 101
 Massage Jets (pc) - 76
 Air Jets (pc) - 25

FILTRATION

Filter - Front Access filters
 Effective Filtration Area - 100 sq. ft.
 Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 2
 Air Regulator (pc) - 2
 Suctions (pc) - 2
 Gate Valves(pc) - 4
 Drain Valve (pc) - 1
 Headrest pillows(pc) - 3
 Support Frame - #304 stainless steel
 Overflow Outlet (pc) - 1
 Inbuilt Radio & skirt speakers - Yes
 Wooden Skirt - Yes

RAS - 604SR



SIZE : 1600 MM X 1600 MM X 850 MM

SEATING

Seating Capacity - 4 person

WEIGHT

Weight-Dry/Filled - 210KGS/910 KGS
Water Capacity - 185US Gallon/700 litersv

PUMPS

Jet Pump 1 - 3.0 HP
Circulation Pump - 0.53 HP
Air Blower - 1.0 HP

ELECTRICS

Control system - Smart-GaoErDa Control System
Max Power Consumption - 6500Watt29.6A in 220V50Hz
Heater - 3KW
Underwater Lighting - 5" LED

JET CONFIGURATIONS

Jets total (pc) - 53
Massage Jets (pc) - 40
Air Jets (pc) - 13

FILTRATION

Filter - Front Access filters
Effective Filtration Area - 100 sq. ft.
Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 1
Air Regulator (pc) - 2
Suctions (pc) - 3
Gate Valves(pc) - 6
Drain Valve (pc) - 1
Headrest pillows(pc) - 2
Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1
Inbuilt Radio & skirt speakers - Yes
Wooden Skirt - Yes

RAS - 605SR



SIZE : 1900 MM X 1900 MM X 940 MM

SEATING

Seating Capacity - 4 person
Lounge - 1 person

WEIGHT

Weight-Dry/Filled - 295KGS/1169 KGS
Water Capacity - 231US Gallon/874 litersv

PUMPS

Jet Pump 1 - 2.0 HP
Jet Pump 2 - 2.0 HP
Circulation Pump - 0.53 HP
Air Blower - 1.0 HP

ELECTRICS

Control system - Smart-GaoErDa Control System
Max Power Consumption - 7250Watt32.9A in 220V50Hz
Heater - 3KW/220-240VAC
Underwater Lighting - 5" LED

JET CONFIGURATIONS

Jets total (pc) - 54
Massage Jets (pc) - 36
Air Jets (pc) - 18


FILTRATION

Filter - Front Access filters
Effective Filtration Area - 100 sq. ft.
Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 2
Air Regulator (pc) - 2
Suctions (pc) - 3
Gate Valves(pc) - 6
Drain Valve (pc) - 1
Headrest pillows(pc) - 3
Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1
Inbuilt Radio & skirt speakers - Yes
Wooden Skirt - Yes

RAS - 606SR



SIZE : 2300 MM X 2200 MM X 950 MM

SEATING

- Seating Capacity - 3 person
- Lounge - 2 person

WEIGHT

- Weight-Dry/Filled - 417KGS/2017 KGS
- Water Capacity - 423US Gallon/1600 liters

PUMPS

- Jet Pump 1 - 2.0 HP
- Jet Pump 2 - 2.0 hp
- Jet Pump 3 - 2.0 HP
- Circulation Pump - 0.53 HP
- Air Blower - 1.0 HP

ELECTRICS

- Control system - smart-GaoErDa Control System
- Max Power Consumption - 8800Watt40A in 220V50Hz
- Heater - 3KW/220-241VAC
- Underwater Lighting - 5" LED

JET CONFIGURATIONS

- Jets total (pc) - 87
- Massage Jets (pc) - 68
- Air Jets (pc) - 19

FILTRATION

- Filter - Front Access filters
- Effective Filtration Area - 100 sq. ft.
- Ozone Generator - 50mg/h

FEATURES

- Water Diverter (pc) - 2
- Suctions (pc) - 4
- Gate Valves(pc) - 8
- Drain Valve (pc) - 1
- Headrest pillows (pc) - 3
- Support Frame - #304 stainless steel
- Overflow Outlet (pc) - 1
- Inbuilt Radio & skirt speakers - Yes
- Wooden Skirt - Yes

RAS - 607SR



SIZE : 3850 MM X 2200 MM X 1200 MM

SEATING

- Seating Capacity - 1 person
- Lounge - 5 person

WEIGHT

- Weight-Dry/Filled - 800KGS/6850 KGS
- Water Capacity - 1597US Gallon/6050 liters

PUMPS

- Jet Pump 1 - 3.0 HP
- Jet Pump 2 - 3.0 hp
- Jet Pump 3 - 3.0 HP
- Jet Pump 4 - 2.0 HP
- Circulation Pump - 1.0 HP
- Air Blower - 1.5 HP

ELECTRICS

- Control system - smart-GaoErDa Control System
- Max Power Consumption - 13225Watt20.1A in 380V50Hz
- Heater - 3KW/220-240VAC
- Underwater Lighting - 5" LED

JET CONFIGURATIONS

- Jets total(pc) - 60
- Swim Jets (pc) - 5
- Massage Jets (pc) - 40
- Air Jets (pc) - 15

FILTRATION

- Filter - Front Access filters
- Effective Filtration Area - 100 sq. ft.
- Ozone Generator - 50mg/h

FEATURES

- Water Diverter (pc) - 4
- Air Regulator (pc) - 4
- Suctions (pc) - 6
- Gate Valves(pc) - 12
- Drain Valve (pc) - 1
- Headrest pillows(pc) - 2
- Support Frame - #304 stainless steel
- Overflow Outlet (pc) - 1
- Inbuilt Radio & skirt speakers - Yes
- Wooden Skirt - Yes



SIZE : 4300 MM X 2200 MM X 1300 MM

SEATING

Seating Capacity - 4 person

WEIGHT

Weight-Dry/Filled - 680KGS/6040 KGS
Water Capacity - 1416US Gallon/5360 liters

PUMPS

Jet Pump 1 - 3.0 HP
Jet Pump 2 - 3.0 HP
Jet Pump 3 - 2.0 HP
Jet Pump 4 - 2.0 HP
Circulation Pump - 0.53 HP
Air Blower - 1.0 HP

ELECTRICS

Control system - smart-GaoErDa Control System
Max Power Consumption - 11747Watt/17.4A in 3800V50Hz
Heater - 3KW/220-240VAC
Underwater Lighting - 5" LED

JET CONFIGURATIONS

Jets total (pc) - 47
Swim Jets (pc) - 5
Massage Jets (pc) - 28
Air Jets (pc) - 14

FILTRATION

Filter - Front Access filters
Effective Filtration Area - 100 sq. ft.
Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 2
Air Regulator (pc) - 2
Suctions (pc) - 4
Gate Valves (pc) - 10
Drain Valve (pc) - 1
Headrest pillows (pc) - 2
Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1
Inbuilt Radio & skirt speakers - Yes
Wooden Skirt - Yes



SIZE : 3850 MM X 2200 MM X 1200 MM

SEATING

Seating Capacity - 4 person

WEIGHT

Weight-Dry/Filled - 1100KGS/1350 KGS
Water Capacity - 2244US Gallon/8500 liters

PUMPS

Booster Pump 1 - 3.0 HP
Booster Pump 2 - 3.0 hp
Booster Pump 3 - 3.0 HP
Booster Pump 4 - 2.0 HP
Booster Pump 5 - 2.0 HP
Circulation Pump - 1.0 HP

ELECTRICS

Control system - smart-GaoErDa Control System
Heater - 3KW
Underwater Lighting - 5" LED

JET CONFIGURATIONS


Jets total(pc) - 65
Massage Jets (pc) - 65
Air Jets (pc) - Optional

FILTRATION

Filter - Front Access filters
Effective Filtration Area - 100 sq. ft.
Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 2
Air Regulator (pc) - 2
Suctions (pc) - 8
Gate Valves(pc) - 6
Drain Valve (pc) - 1
Headrest pillows(pc) - 2
Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1
Inbuilt Radio & skirt speakers - Yes
Wooden Skirt - Yes



SEATING

Seating Capacity - 4 person

WEIGHT

Weight-Dry/Filled - 800KGS/9800 KGS
Water Capacity - 2376US Gallon/9000 liters

PUMPS -- Spa Part

Jet Pump 1 - 2 HP
Circulation Pump - 1 HP
Air Blower - 1.0 HP

ELECTRICS -- Spa Part

Control system - smart-GaoErDa Control System
Max Power Consumption - 5800Watt 8.8A in 380V50Hz
Heater - 3KW/220-240VAC
Underwater Lighting - 5" LED

JET CONFIGURATIONS -- Spa Part

Jets total (pc) - 34
Massage Jets (pc) - 22
Air Jets (pc) - 12

FILTRATION

Filter - Front Access filters
Effective Filtration Area - 100 sq. ft.
Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 1
Air Regulator (pc) - 2
Suctions (pc) - 2
Drain Valve (pc) - 1
Headrest pillows (pc) - 3
Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1
Inbuilt Radio & skirt speakers - Yes
Wooden Skirt - Yes

PUMPS -- Swimming Part

Swim Pump 1 - 3 HP X 2 Pcs
Jet Pump 2 - 2.0HP X 2 Pcs
Circulation Pump - 1.0 HP
Air Blower - 1.5 HP

ELECTRICS -- Swimming Part


Control system - smart-GaoErDa Control System
Max Power Consumption - 12475watt 18.9Ain380V50Hz
Heater - 3KW/220-240VAC
Underwater Lighting - 5" LED

JET CONFIGURATIONS -- Swimming Part

Jets total (pc) - 47
Swim Jets - 5
Massage Jets (pc) - 28
Air Jets (pc) - 14

FEATURES

Water Diverter (pc) - 2
Air Regulator (pc) - 2
Suctions (pc) - 4
Drain Valve (pc) - 1
Headrest pillows(pc) - 2
Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1



SEATING

Seating Capacity - 6 person
Lounge - 4 person

WEIGHT

Weight-Dry/Filled - 1350KGS/13850 KGS
Water Capacity - 3300US Gallon/12500 liters

PUMPS -- Spa Part

Jet Pump 1 - 3.0 HP
Jet Pump 2 - 2.0 HP
Jet Pump 3 - 2.0 HP
Jet Pump 4 - 2.0 HP
Jet Pump 5 - 2.0 HP
Circulation Pump - 1 HP
Air Blower - 1.5 HP

ELECTRICS -- Spa Part

Control system - smart-GaoErDa Control System
Max Power Consumption - 13225Watt 20.1A in 380V50Hz
Heater - 3KW/220-240VAC
Underwater Lighting - 5" LED

JET CONFIGURATIONS -- Spa Part (Stainless Steel)

Jets total (pc) - 153
Massage Jets (pc) - 135
Air Jets (pc) - 18

FILTRATION

Filter - Front Access filters
Effective Filtration Area - 100 sq. ft.
Ozone Generator - 50mg/h

FEATURES

Water Diverter (pc) - 6
Air Regulator (pc) - 2
Suctions (pc) - 6
Drain Valve (pc) - 1
Headrest pillows (pc) - 7

Support Frame - #304 stainless steel
Overflow Outlet (pc) - 1
Inbuilt Radio & skirt speakers - Yes
Wooden Skirt - Yes
LED Light - Yes
ICE Box - Yes

SEATING

Seating Capacity - 0 person
Lounge - 2 person

PUMPS -- Swimming Part

Jet Pump 1 - 3 HP
Jet Pump 2 - 3 HP
Jet Pump 3 - 3 HP
Jet Pump 4 - 2 HP
Jet Pump 5 - 2 HP
Circulation Pump - 1.0 HP

ELECTRICS -- Swimming Part

Control system - smart-GaoErDa Control System
Max Power Consumption - 13600watt 20.6Ain380V50Hz
Heater - 3KW/220-240VAC
Underwater Lighting - 5" LED

JET CONFIGURATIONS -- Swimming Part

Jets total (pc) - 40
Super Size Swim Jets with LED (pc) - 3
Air Jets (pc) - 37

FEATURES

Water Diverter (pc) - 4
Air Regulator (pc) - 6
Suctions (pc) - 6
Drain Valve (pc) - 1
Headrest pillows(pc) - 2
Support Frame - #304 stainless steel

RAS DELTA™
THE NEW DIMENSION



RAS DELTA™

RAS DELTA WELLNESS PVT.LTD

12-A 1st Floor, Mahaluxmi Metro Tower, Plot no. C-1 Sector- 4 Vaishali, Ghaziabad U.P.- 201012 India.

Telefax: 91 120 4153131 Email: rasdeltaho@gmail.com Web: www.rasdelta.com

Stimulate your senses

www.rasdelta.com